Journal of Applied Microbiology

Edited by

A. F. Godfree

Volume 95, 2003

Copyright © 2003 by The Society for Applied Microbiology

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the Society

Print ISSN 1364-5072
Online ISSN 1365-2672

Published by
Blackwell Publishing Ltd
OXFORD BOSTON MELBOURNE BERLIN
COPENHAGEN TOKYO AMES

Printed in Great Britain

Contents

Volume 95, Issue 1, July 2003

1 Author Guidelines

7 Growth-inhibiting effects of seco-tanapartholides identified in *Artemisia princeps var. orientalis* whole plant on human intestinal bacteria *S.-H. Cho, Y.-E. Na & Y.-J. Ahn*

13 Molecular detection of *Candida krusei* contamination in fruit juice using the citrate synthase gene cs1 and a potential role for this gene in the adaptive response to acetic acid *G.D. Casey & A.D.W. Dobson*

23 Cloning and study of the expression of a novel *cry1Ia*-type gene from *Bacillus thuringiensis* subsp. *kurstaki* *S. Tounsi, N. Zouari & S. Jaoua*

29 Usefulness of different groups of bacteriophages as model micro-organisms for evaluating chlorination *A.E. Durán, M. Muniesa, L. Mocé-Llivina, C. Campos, J. Jofre & F. Lucena*

38 Identification of a new putative enterotoxin SEU encoded by the *egc* cluster of *Staphylococcus aureus* *C. Letertre, S. Perelle, F. Dilasser & P. Fach*

44 A two-stage continuous culture system to study the effect of supplemental α-lactalbumin and glycomacropeptide on mixed cultures of human gut bacteria challenged with enteropathogenic *Escherichia coli* and *Salmonella* serotype Typhimurium *W.M. Brück, G. Graverholt & G.R. Gibson*

54 Mechanisms of killing of *Bacillus subtilis* spores by hypochlorite and chlorine dioxide *S.B. Young & P. Setlow*

68 Protease, peptidase and esterase activities by lactobacilli and yeast isolates from Feta cheese brine *T. Bintsis, A. Vafopoulou-Mastrojiannaki, E. Litopoulou-Tzanetaki & R.K. Robinson*

78 Fungi are the predominant micro-organisms responsible for degradation of soil-buried polyester polyurethane over a range of soil water holding capacities *S.R. Barratt, A.R. Ennos, M. Greenhalgh, G.D. Robson & P.S. Handley*

86 Bile salts and cholesterol induce changes in the lipid cell membrane of *Lactobacillus reuteri* *M.P. Taranto, M.L. Fernandez Murga, G. Lorca & G.F. de Valdez*

92 Animal host associated differences in Shiga toxin-producing *Escherichia coli* isolated from sheep and cattle on the same farm *A.M. Urdahl, L. Beutin, E. Skjerve, S. Zimmermann & Y. Wasteson*

102 Genetic transfer of the *mcd* gene in soil *S. Desaint, S. Arrault, S. Siblot & J.-C. Fournier*

109 Comparison of microbial communities in four different composting processes as evaluated by denaturing gradient gel electrophoresis analysis *K. Ishii & S. Takii*

120 Development of multicolour digital image analysis system to enumerate actively respiring bacteria in natural river water *M. Ogawa, K. Tani, N. Yamaguchi & M. Nasu*

129 Rapid sample preparation method for PCR-based detection of *Escherichia coli* O157:H7 in ground beef *S. Cui, C.M. Schroeder, D.Y. Zhang & J. Meng*

135 Modelling the combined effects of pH, temperature and sodium chloride stresses on the thermal inactivation of *Bacillus subtilis* spores in a buffer system *A. Jagannath, I. Nakamura & T. Tsuchido*

142 Reducing colonization of *Salmonella* Enteritidis in chicken by targeting outer membrane proteins *M.I. Khan, A.A. Fadl & K.S. Venkitanarayanan*

146 Employment of stressful conditions during culture production to enhance subsequent cold- and acid-tolerance of bifidobacteria *J.E. Maus & S.C. Ingham*

155 A comparison of two pre-enrichment media prior to immunomagnetic separation for the isolation of *E. coli* O157 from bovine faeces *G. Foster, G.F. Hopkins, G.J. Gunn, H.E. Ternent, F. Thomson-Carter, H.I. Knight, D.J.L. Graham, V. Edge & B.A. Synge*

160 Development of a Gram-negative selective agar (GNSA) for the detection of Gram-negative microflora in sputa in patients with cystic fibrosis *J.E. Moore, J. Xu, B.C. Millar, J. Courtney & J.S. Elborn*

167 Studies on the mechanism of the osmoresistance of spores of *Bacillus subtilis* *F. Tovar-Rojo, R.-M. Cabrera-Martinez, B. Setlow & P. Setlow*

180 Occurrence and antimicrobial resistance of Gram-negative bacteria isolated in haemodialysis water and dialysate of renal units: results of a Greek multicentre study *M. Arvanitidou, A. Vayona, N. Spanakis & A. Tsakris*

186 Characterization of *Serratia marcescens* surviving in disinfecting footbaths *S. Langsrud, T. Moretro & G. Sundheim*

196 Comparative evaluation of the MGIT™ and BACTEC culture systems for the recovery of *Mycobacterium avium* subsp. *paratuberculosis* from milk *I.R. Grant, R.B. Kirk, E. Hitchings & M.T. Rowe*

202 Corrigendum

203 Erratum

Volume 95, Issue 2, August 2003

205 Rapid laboratory identification and characterization of verocytotoxigenic (Shiga toxin producing) *Escherichia coli* (VTEC/STEC) *K.A. Bettelheim & L. Beutin*

218 Molecular detection and β-glucuronidase expression of *gus*-marked *Bacillus subtilis* L-form bacteria in developing Chinese cabbage seedlings *E. Tsomlexoglou, P.W.H.K.P. Daulagala, G.W. Gooday, L.A. Glover, B. Seddon & E.J. Allan*

225 Combined fluorescent antibody assay and viability staining for the assessment of the physiological states of *Escherichia coli* in seawaters *G. Caruso, M. Mancuso & E. Crisafi*

234 The incidence of *Campylobacter* spp. on processed turkey from processing plants in the midwestern United States *C.M. Logue, J.S. Sherwood, L.M. Elijah, P.A. Olah & M.R. Dockter*

242 Application of *Leuconostoc carnosum* for biopreservation of cooked meat products *T. Jacobsen, B.B. Budde & A.G. Koch*

250 The effects of some formulation factors used in ophthalmic preparations on thiomersal activity against *Pseudomonas aeruginosa* and *Staphylococcus aureus* *A.I. Abuqaddom, R.M. Darwish & H. Muti*

256 The prevalence and spread of *Escherichia coli* O157:H7 at a commercial beef abattoir *J.M. McEvoy, A.M. Doherty, J.J. Sheridan, F.M. Thomson-Carter, P. Garvey, L. McGuire, I.S. Blair & D.A. McDowell*

267 Oxidant and SDS-stable alkaline protease from *Bacillus clausii* I-52: production and some properties *H.-S. Joo, C.G. Kumar, G.-C. Park, S.R. Paik & C.-S. Chang*

273 Intracellular vacuolation induced by culture filtrates of *Plesiomonas shigelloides* isolated from environmental sources *R. Falcón, G. V Carbonell, P.M.S. Figueredo, F. Butião, H.O. Saridakis, J.S. Pelayo & T. Yano*

279 Control of *Aspergillus* growth and aflatoxin production using antioxidants at different conditions of water activity and pH *A. Nesci, M. Rodriguez & M. Etcheverry*

288 Assessment of bismuth thiols and conventional disinfectants on drinking water biofilms *F. Codony, P. Domenico & J. Mas*

294 Characteristics and identification of enterocins produced by *Enterococcus faecium* JCM 5804^T *S.H. Park, K. Itoh & T. Fujisawa*

301 Optimization of growth conditions of the postharvest biocontrol agent *Candida sake* CPA-1 in a lab-scale fermenter *M. Abadias, N. Teixidó, J. Usall & I. Viñas*

310 Comparison of the expression of *Bacillus thuringiensis* full-length and N-terminally truncated *vip3A* gene in *Escherichia coli* *J. Chen, J. Yu, L. Tang, M. Tang, Y. Shi & Y. Pang*

317 Bacterial species in biofilm cultivated from the end of the Seoul water distribution system *D.-G. Lee & S.-J. Kim*

325 Effect of different starvation conditions on the flocculation of *Saccharomyces cerevisiae* *E.V. Soares & A. Vroman*

331 Xylitol production from high xylose concentration: evaluation of the fermentation in bioreactor under different stirring rates *S.I. Mussatto & I.C. Roberto*

338 *omp*U genes in non-toxigenic *Vibrio cholerae* associated with aquaculture *I. Karunasagar, I. Rivera, B. Joseph, B. Kennedy, V.R. Shetty, A. Huq, I. Karunasagar & R.R. Colwell*

344 Typification of *Oenococcus oeni* strains by multiplex RAPD-PCR and study of population dynamics during malolactic fermentation *C. Reguant & A. Bordons*

354 Phylogenetic analysis by 16S rDNA gene sequence comparison of avian taxa of Bisgaard and characterization and description of two new taxa of *Pasteurellaceae* *H. Christensen, G. Foster, J.P. Christensen, T. Pennycott, J.E. Olsen & M. Bisgaard*

364 Stress situations induce cyanide-resistant respiration in spoilage yeasts *A. Veiga, J.D. Arrabaça & M.C. Loureiro-Dias*

372 Adaptation to high salt in *Lactobacillus*: role of peptides and proteolytic enzymes *M. Piuri, C. Sanchez-Rivas & S.M. Ruzal*

380 Principles of some novel rapid dipstick methods for detection and characterization of verotoxigenic *Escherichia coli* *C.F. Aldus, A. van Amerongen, R.M.C. Ariëns, M.W. Peck, J.H. Wichers & G.M. Wyatt*

390 Potential of the enterocin regulatory system to control expression of heterologous genes in *Enterococcus* *R.M. Hickey, D.P. Twomey, R.P. Ross & C. Hill*

398 Transfer of a rifampicin-resistant *Escherichia coli* strain among feedlot cattle *S.M.L. Stevenson, T.A. McAllister, L.B. Selinger, L.J. Yanke, M.E. Olson, D.W. Morck & R.R. Read*

Volume 95, Issue 3, September 2003

411 Announcement

412 A REVIEW: Novel antiviral agents: a medicinal plant perspective *S.A.A. Jassim & M.A. Naji*

428 Transfer of antibiotic resistance between commensal and pathogenic members of the Enterobacteriaceae under ileal conditions *D.P. Blake, K. Hillman, D.R. Fenlon & J.C. Low*

437 Metabiosis of proteolytic moulds and *Salmonella* in raw, ripe tomatoes *W.N. Wade & L.R. Beuchat*

451 The role of visible faecal material as a vehicle for generic *Escherichia coli*, coliform, and other enterobacteria contaminating poultry carcasses during slaughtering *S.M. Jiménez, M.C. Tiburzi, M.S. Salsi, M.E. Pirovani & M.A. Moguilevsky*

457 Flocculation and cell surface characterization of *Kloeckera apiculata* from wine *M.E. Farías & M.C. Manca de Nadra*

463 Biodiversity in *Lactobacillus helveticus* strains present in natural whey starter used for Parmigiano Reggiano cheese *M. Gatti, C. Lazzi, L. Rossetti, G. Mucchetti & E. Neviani*

471 Inhibition of *Staphylococcus aureus* by the commensal bacteria of human milk *M.P. Heikkilä & P.E.J. Saris*

479 Acclimation and repair of DNA damage in recombinant bioluminescent *Escherichia coli J. Min & M.B. Gu*

484 Effect of trehalose on survival of *Bradyrhizobium japonicum* during desiccation *J.G. Streeter*

492 Mediation of arsenic oxidation by *Thiomonas* sp. in acid-mine drainage (Carnoulès, France) *O. Bruneel, J.-C. Personné, C. Casiot, M. Leblanc, F. Elbaz-Poulichet, B.J. Mahler, A. Le Flèche & P.A.D. Grimont*

500 A model for the thermal inactivation of micro-organisms *R.J.W. Lambert*

508 Molecular characterization of the microbial species that colonize human ileal and colonic mucosa by using 16S rDNA sequence analysis *X. Wang, S.P. Heazlewood, D.O. Krause & T.H.J. Florin*

521 Substrate induction of isomaltulose synthase in a newly isolated *Klebsiella* sp. LX3 *X. Li, C. Zhao, Q. An & D. Zhang*

528 Effect of some abiotic factors on the biological activity of *Gluconacetobacter diazotrophicus N.A. Tejera, E. Ortega, J. González-López & C. Lluch*

536 Influence of groundwater characteristics on the survival of enteric viruses *C. Gordon & S. Toze*

545 Effect of fermented soya beans on diarrhoea and feed efficiency in weaned piglets *J.L. Kiers, J.C. Meijer, M.J.R. Nout, F.M. Rombouts, M.J.A. Nabuurs & J. van der Meulen*

553 The use of amplified flanking region-PCR in the isolation of laccase promoter sequences from the edible fungus *Pleurotus sajor-caju D.M. Soden & A.D.W. Dobson*

563 Evaluation of the pH-dependent, stationary-phase acid tolerance in *Listeria monocytogenes* and *Salmonella* Typhimurium DT104 induced by culturing in media with 1% glucose: a comparative study with *Escherichia coli* O157:H7 *J. Samelis, J.S. Ikeda & J.N. Sofos*

576 Nitrosative stress induced cytotoxicity in *Giardia intestinalis D. Lloyd, J.C. Harris, S. Maroulis, A. Mitchell, M.N. Hughes, R.B. Wadley & M.R. Edwards*

584 Stability of β-carotene in spray dried preparation of *Rhodotorula glutinis* mutant 32 *P. Bhosale, V.V. Jogdand & R.V. Gadre*

591 Formation of natural biofilms during chlorine dioxide and u.v. disinfection in a public drinking water distribution system *T. Schwartz, S. Hoffmann & U. Obst*

602 Isolation of partial *toxR* gene of *Vibrio harveyi* and design of *toxR*-targeted PCR primers for species detection *M.J.U. Conejero & C.T. Hedreyda*

612 Analysis of environmental *Escherichia coli* isolates for virulence genes using the TaqMan® PCR system *K.C. Davis, C.H. Nakatsu, R. Turco, S.D. Weagant & A.K. Bhunia*

621 Establishing populations of *Megasphaera elsdenii* YE 34 and *Butyrivibrio fibrisolvens* YE 44 in the rumen of cattle fed high grain diets *A.V. Klieve, D. Hennessy, D. Ouwerkerk, R.J. Forster, R.I. Mackie & G.T. Attwood*

631 Survival of *Escherichia coli* O157:H7, *Listeria monocytogenes* 4b and *Yersinia enterocolitica* O3 in different yogurt and kefir combinations as prefermentation contaminant *M. Gulmez & A. Guven*

637 Germination of spores of *Bacillus subtilis* with dodecylamine *B. Setlow, A.E. Cowan & P. Setlow*

Volume 95, Issue 4, October 2003

649 Identification of campylobacteria isolated from Danish broilers by phenotypic tests and species-specific PCR assays *M. Waino, D.D. Bang, M. Lund, S. Nordentoft, J.S. Andersen, K. Pedersen & M. Madsen*

656 Evidence for dose-dependent effects on plant growth by *Stenotrophomonas* strains from different origins *I. Suckstorff & G. Berg*

664 Investigation of antibiotic and antibacterial agent cross-resistance in target bacteria from homes of antibacterial product users and nonusers *E.C. Cole, R.M. Addison, J.R. Rubino, K.E. Leese, P.D. Dulaney, M.S. Newell, J. Wilkins, D.J. Gaber, T. Wineinger & D.A. Criger*

677 Application of sucrose-gradient centrifugation for selective isolation of Nocardia spp. from soil *H. Yamamura, M. Hayakawa & Y. Iimura*

686 Selection of biochemical mutants of *Aspergillus niger* resistant to some abiotic stresses with increased inulinase production *M. Skowronek & J. Fiedurek*

693 Characterization of *Vibrio* strains isolated from turbot (*Scophthalmus maximus*) culture by phenotypic analysis, ribotyping and 16S rRNA gene sequence comparison *M. Montes, R. Farto, M.J. Pérez, T.P. Nieto, J.L. Larsen & H. Christensen*

704 Identification of a novel stress resistance mechanism in *Campylobacter jejuni* *C. Murphy, C. Carroll & K.N. Jordan*

709 In vitro activity of allicin against *Staphylococcus epidermidis* and influence of subinhibitory concentrations on biofilm formation *C. Pérez-Giraldo, G. Cruz-Villalón, R. Sánchez-Silos, R. Martínez-Rubio, M.T. Blanco & A.C. Gómez-García*

712 Statistical optimization of a high maltose-forming, hyperthermostable and Ca^{2+}-independent α-amylase production by an extreme thermophile *Geobacillus thermoleovorans* using response surface methodology *J.L. Uma Maheswar Rao & T. Satyanarayana*

719 Internalization of bioluminescent *Escherichia coli* and *Salmonella* Montevideo in growing bean sprouts *K. Warriner, S. Spaniolas, M. Dickinson, C. Wright & W.M. Waites*

728 Rapid and effective detection of anthrax spores in soil by PCR *H.I. Cheun, S.-I. Makino, M. Watarai, J. Erdenebaatar, K. Kawamoto & I. Uchida*

734 A model for the efficacy of combined inhibitors *R.J.W. Lambert & R. Lambert*

744 Characterization of bla_{CMY-10} a novel, plasmid-encoded AmpC-type β-lactamase gene in a clinical isolate of *Enterobacter aerogenes* *S.H. Lee, S.H. Jeong & Y.-M. Park*

753 Prevalence and antimicrobial susceptibility of *Salmonella* spp. isolates from US cattle in feedlots in 1999 and 2000 *D.A. Dargatz, P.J. Fedorka-Cray, S.R. Ladely, C.A. Kopral, K.E. Ferris & M.L. Headrick*

762 Expression of cellular antigens of *Listeria monocytogenes* that react with monoclonal antibodies C11E9 and EM-7G1 under acid-, salt- or temperature-induced stress environments *T. Geng, K.P. Kim, R. Gomez, D.M. Sherman, R. Bashir, M.R. Ladisch & A.K. Bhunia*

773 Genetic diversity of human isolates of *Salmonella enterica* serovar Enteritidis in Malaysia *S.A. Bakeri, R.M. Yasin, Y.T. Koh, S.D. Puthucheary & K.L. Thong*

781 Reduction in excess sludge production by addition of chemical uncouplers in activated sludge batch cultures *F.X. Ye, D.S. Shen & Y. Li*

787 Microarray analysis of erythromycin resistance determinants *D. Volokhov, V. Chizhikov, K. Chumakov & A. Rasooly*

799 *Beijerinckia derxii* releases plant growth regulators and amino acids in synthetic media independent of nitrogenase activity *D.S. Thuler, E.I.S. Floh, W. Handro & H.R. Barbosa*

807 The effects of temperature, water activity and pH on the growth of *Aeromonas hydrophila* and on its subsequent survival in microcosm water *M. Sautour, P. Mary, N.E. Chihib & J.P. Hornez*

814 Patterns of antimicrobial activities from soil actinomycetes isolated under different conditions of pH and salinity *A. Basilio, I. González, M.F. Vicente, J. Gorrochategui, A. Cabello, A. González & O. Genilloud*

824 Improvement of acetate production from lactose by growing *Clostridium thermolacticum* in mixed batch culture *C. Collet, J.-P. Schwitzguebel & P. Péringer*

832 Effect of *Azospirillum*-mediated plant growth promotion on the development of bacterial diseases on fresh-market and cherry tomato *A.M. Romero, O.S. Correa, S. Moccia & J.G. Rivas*

839 Betaine and carnitine uptake systems in *Listeria monocytogenes* affect growth and survival in foods and during infection *R.D. Sleator, G.A. Francis, D. O'Beirne, C.G.M. Gahan & C. Hill*

847 Effects of xylulokinase activity on ethanol production from D-xylulose by recombinant *Saccharomyces cerevisiae* *T.-H. Lee, M.-D. Kim, Y.-C. Park, S.-M. Bae, Y.-W. Ryu & J.-H. Seo*

853 Antifungal activity of the components of *Melaleuca alternifolia* (tea tree) oil *K.A. Hammer, C.F. Carson & T.V. Riley*

861 Homologous expression of a mutated beta-tubulin gene does not confer benomyl resistance on *Trichoderma virens* *M. Mukherjee, R. Hadar, P.K. Mukherjee & B.A. Horwitz*

868 Degradation of African locust bean oil by *Bacillus subtilis* and *Bacillus pumilus* isolated from soumbala, a fermented African locust bean condiment *L.I.I. Ouoba, M.D. Cantor, B. Diawara, A.S. Traoré & M. Jakobsen*

874 Intrinsic and acquired resistance to quaternary ammonium compounds in food-related *Pseudomonas* spp. *S. Langsrud, G. Sundheim & R. Borgmann-Strahsen*

883 Phospholipid molecular species distributions of *Candida* isolates from the UK and Iran *A.Z. Mahmoudabadi, V. Boote, J. Verran, E. Johnson & D.B. Drucker*

Volume 95, Issue 5, November 2003

891 *Salmonella* on pig carcasses: positive pigs and cross contamination in the slaughterhouse *N. Botteldoorn, M. Heyndrickx, N. Rijpens, K. Grijspeerdt & L. Herman*

904 Determination of aerial microbiological contamination in scholastic sports environments *C. Dacarro, A.M. Picco, P. Grisoli & M. Rodolfi*

913 Antibacterial activity of honey and propolis from *Apis mellifera* and *Tetragonisca angustula* against *Staphylococcus aureus P.L. Miorin, N.C. Levy Junior, A.R. Custodio, W.A. Bretz & M.C. Marcucci*

921 Multiple competitive PCR–DGGE as a tool for quantifying and profiling defined mixed cultures of lactic acid bacteria during production of probiotics from complex polysaccharides *J. Pintado, J.P. Guyot & F. Ampe*

934 Evaluation of PCR primers for denaturing gradient gel electrophoresis analysis of fungal communities in compost *M.N. Marshall, L. Cocolin, D.A. Mills & J.S. VanderGheynst*

949 Optimization of enrichment and plating procedures for the recovery of *Escherichia coli* O111 and O26 from minced beef *T.M.G. Catarame, K.A. O'Hanlon, G. Duffy, J.J. Sheridan, I.S. Blair & D.A. McDowell*

958 PCR detection of *Listeria monocytogenes*: a study of multiple factors affecting sensitivity *R. Aznar & B. Alarcón*

967 Desiccation and heat tolerance of *Enterobacter sakazakii P. Breeuwer, A. Lardeau, M. Peterz & H.M. Joosten*

974 Staphylococcal accessory gene regulator (sar) as a signature gene to detect enterotoxigenic staphylococci *B.P. Padmapriya, A. Ramesh, A. Chandrashekar & M.C. Varadaraj*

982 Characterization of a mosquitocidal *Bacillus thuringiensis* serovar *sotto* strain isolated from Okinawa, Japan *A. Ohgushi, N. Wasano, N. Shisa, H. Saitoh, E. Mizuki, M. Maeda & M. Ohba*

990 Detection and characterization of the novel bacteriocin entomocin 9, and safety evaluation of its producer, *Bacillus thuringiensis* ssp. *entomocidus* HD9 *A. Cherif, S. Chehimi, F. Limem, B.M. Hansen, N.B. Hendriksen, D. Daffonchio & A. Boudabous*

1001 Molecular characterization and distribution of virulence-associated genes amongst *Aeromonas* isolates from Libya *A.I. Abdullah, C.A. Hart & C. Winstanley*

1008 Chloramphenicol and florfenicol susceptibility of fish-pathogenic bacteria isolated in France: comparison of minimum inhibitory concentration, using recommended provisory standards for fish bacteria *C. Michel, B. Kerouault & C. Martin*

1016 Evaluation of the use of pooled serum, pooled muscle tissue fluid (meat juice) and pooled faeces for monitoring pig herds for *Salmonella R.H. Davies, P.J. Heath, S.M. Coxon & A.R. Sayers*

1026 The effect of bovine lactoferrin and lactoferricin B on the ability of feline calicivirus (a norovirus surrogate) and poliovirus to infect cell cultures *K.B. McCann, A. Lee, J. Wan, H. Roginski & M.J. Coventry*

1034 Influence of inoculum preparation on the growth of *Penicillium chrysogenum M. Sautour, P. Dantigny, M.-C. Guilhem & M. Bensoussan*

1039 Impact of biocontrol agents *Pseudomonas fluorescens* CHA0 and its genetically modified derivatives on the diversity of culturable fungi in the rhizosphere of mungbean *S.S. Shaukat & I.A. Siddiqui*

1049 Exopolysaccharide production during batch cultures with free and immobilized *Lactobacillus rhamnosus* RW-9595M *D. Bergmaier, C.P. Champagne & C. Lacroix*

1058 Production of antibacterial substances by bifidobacterial isolates from infant stool active against *Listeria monocytogenes R. Touré, E. Kheadr, C. Lacroix, O. Moroni & I. Fliss*

1070 Detection and survival of *Campylobacter* in chicken eggs *O. Sahin, P. Kobalka & Q. Zhang*

1080 The effect of *Lactobacillus buchneri*, with or without homofermentative lactic acid bacteria, on the fermentation, aerobic stability and ruminal degradability of wheat, sorghum and maize silages *I. Filya*

1087 Controlling grape must fermentation in early winemaking phases: the role of electrochemical treatment *G. Lustrato, G. Alfano, C. Belli, L. Grazia, M. Iorizzo, L. Maiuro, F. Massarella, E. Zanardini & G. Ranalli*

1096 Differentiation of *Arcobacter* species by numerical analysis of AFLP profiles and description of a novel *Arcobacter* from pig abortions and turkey faeces *S.L.W. On, C.S. Harrington & H.I. Atabay*

1106 Intraspecific characterization of *Vibrio alginolyticus* isolates recovered from cultured fish in Spain *I. Zorrilla, M.A. Moriñigo, D. Castro, M.C. Balebona & J.J. Borrego*

1117 *Penicillium verrucosum* in wheat and barley indicates presence of ochratoxin A *F. Lund & J.C. Frisvad*

1124 *Shewanella* sp. *GA-22*, a psychrophilic hydrocarbonoclastic antarctic bacterium producing polyunsaturated fatty acids *G. Gentile, V. Bonasera, C. Amico, L. Giuliano & M.M. Yakimov*

1134 DNA fingerprinting of human isolates of *Salmonella enterica* serotype Paratyphi B in Malaysia *Y.L. Goh, R. Yasin, S.D. Puthucheary, Y.T. Koh, V.K.E. Lim, Z. Taib & K.L. Thong*

1143 Antimicrobial activity of *Paenibacillus peoriae* strain NRRL BD-62 against a broad spectrum of phytopathogenic bacteria and fungi *I. von der Weid, D.S. Alviano, A.L.S. Santos, R.M.A. Soares, C.S. Alviano & L. Seldin*

1152 Characterization of the *Mucor circinelloides* life cycle by on-line image analysis *T.L. Lübbehüsen, J. Nielsen & M. McIntyre*

Volume 95, Issue 6, December 2003

1161 The nitrilase family of CN hydrolysing enzymes – a comparative study *C. O'Reilly & P.D. Turner*

1175 Detection of mutagenic pollution of natural environment using microbiological assays *G. Węgrzyn & A. Czyż*

1182 Seven-hour fluorescence *in situ* hybridization technique for enumeration of Enterobacteriaceae in food and environmental water sample *M. Ootsubo, T. Shimizu, R. Tanaka, T. Sawabe, K. Tajima & Y. Ezura*

1191 *Burkholderia cepacia* complex genomovars: utilization of carbon sources, susceptibility to antimicrobial agents and growth on selective media *K. Vermis, P.A.R. Vandamme & H.J. Nelis*

1200 Screening and selection of exopolysaccharide-producing strains of *Lactobacillus delbrueckii* subsp. *bulgaricus* *A.D. Welman, I.S. Maddox & R.H. Archer*

1207 Identification of *Lactobacillus alimentarius* and *Lactobacillus farciminis* with 16S–23S rDNA intergenic spacer region polymorphism and PCR amplification using species-specific oligonucleotide *C.N. Rachman, P. Kabadjova, H. Prévost & X. Dousset*

1217 Development of a multiplex PCR approach for the identification of Shiga toxin-producing *Escherichia coli* strains and their major virulence factor genes *J. Osek*

1226 The effect of chlortetracycline treatment and its subsequent withdrawal on multi-resistant *Salmonella enterica* serovar Typhimurium DT104 and commensal *Escherichia coli* in the pig *A.A. Delsol, M. Anjum, M.J. Woodward, J. Sunderland & J.M. Roe*

1235 A lacticin 481-producing adjunct culture increases starter lysis while inhibiting nonstarter lactic acid bacteria proliferation during Cheddar cheese ripening *L. O'Sullivan, R.P. Ross & C. Hill*

1242 Confirmation of *Escherichia coli* and its distinction from *Klebsiella* species by gas and indole formation at 44 and 44.5°C *R. Maarit Niemi, J. Mentu, A. Siitonen & S.I. Niemelä*

1250 Expression and secretion of an α-amylase gene from a native strain of *Bacillus licheniformis* in *Escherichia coli* by T7 promoter and putative signal peptide of the gene *M. Shahhoseini, A.-A. Ziaee & N. Ghaemi*

1255 Rapid determination of vitamin B_2 secretion by bacteria growing on solid media *S. Salvetti, F. Celandroni, E. Ghelardi, A. Baggiani & S. Senesi*

1261 Clonal variation in maximum specific growth rate and susceptibility towards antimicrobials *N. Sufya, D.G. Allison & P. Gilbert*

1268 A model of microbial survival curves in water treated with a volatile disinfectant *M.G. Corradini & M. Peleg*

1277 A biochemical protocol for the isolation and identification of current species of *Vibrio* in seafood *D. Ottaviani, L. Masini & S. Bacchiocchi*

1285 A comparison of the International Standards Organisation reference method for the detection of coliforms and *Escherichia coli* in water with a defined substrate procedure *S.I. Niemela, J.V. Lee & C.R. Fricker*

1293 The use of PCR to aid in the rapid identification of *Vibrio harveyi* isolates *H.J. Oakey, N. Levy, D.G. Bourne, B. Cullen & A. Thomas*

1304 Development of method to quantify extracellular carbohydrate complexes produced by *Escherichia coli* O157:H7 *J.-H. Ryu & L.R. Beuchat*

1315 Action of trehalose on the preservation of *Lactobacillus delbrueckii* ssp. *bulgaricus* by heat and osmotic dehydration *A. Gómez Zavaglia, E. Tymczyszyn, G. De Antoni & E. Anibal Disalvo*

1321 Inter-laboratory evaluation of three flagellin PCR/RFLP methods for typing *Campylobacter jejuni* and *C. coli*: the CAMPYNET experience *C.S. Harrington, L. Moran, A.M. Ridley, D.G. Newell & R.H. Madden*

1334 Substrate-induced lipase gene expression and aflatoxin production in *Aspergillus parasiticus* and *Aspergillus flavus* *J. Yu, S.M. Mohawed, D. Bhatnagar & T.E. Cleveland*

1343 Nucleic acid sequence based amplification for the rapid and sensitive detection of *Salmonella enterica* from foods *D.H. D'Souza & L.-A. Jaykus*

1351 The effects of cleaning and disinfection in reducing *Salmonella* contamination in a laboratory model kitchen *J. Barker, M. Naeeni & S.F. Bloomfield*

1361 A molecular method to detect *Bacillus cereus* from a coffee concentrate sample used in industrial preparations *M. Manzano, C. Giusto, L. Iacumin, C. Cantoni & G. Comi*

1367 Analysis of the legume–rhizobia symbiosis in shrubs from central western Spain *S. Rodríguez-Echeverría, M.A. Pérez-Fernández, S. Vlaar & T. Finnan*

1375 Simple and rapid detection of *Photobacterium damselae* ssp. *piscicida* by a PCR technique and plating method *P.R. Rajan, J.H.-Y. Lin, M.-S. Ho & H.-L. Yang*

1381 Index